


JULY 28,2005

## 59 year old male with chronic right knee pain




# 12 year old male with chronic foot pain






#### 40 year old man - rule out rotator cuff tear




### 36 year-old man




#### ? Giant Cell Tumor

# 84M LEFT HIP PAIN ? OCCULT STRESS FRACTURE, LEFT HIP




# 47M Medial pain and popping. Tennis injury. Evaluation for medial meniscal tear



**ACL Stump Entrapment** 

# Adult man with shoulder pain




**HADD** 

# Elbow Injury




33 y.o f s/p fall one month ago with immediate swelling and pain. XR neg at that time.

Now with foot drop and pain. No fever white count or erythema




Myonecrosis with Compartment Syndrome







Patellar Tendon Tear

# 41F Left thigh mass








T1 PDFS T1 FS IV Go

## 33M



Torn Discoid Lateral Meniscus with Extension Into Lig of Wrisberg

#### 33M


- 1. Central cavitating tear of the entire lateral meniscus with extension to the anterior root ligament and to the ligament of Wrisberg. The ligament of Wrisberg has a bifid appearance and may be torn. There is an associated small ganglion cyst.
- 2. At least two meniscal cysts are seen associated with the lateral meniscal tear.
- 3. Posterior root ligament of the lateral meniscus is difficult to visualize and this raises possibility of a Wrisberg-type lateral meniscus.

## Man with known condition






# Man with multiple dislocations



18 year old female with a history of right shoulder dislocation.


MRI arthrogram was performed.




? SLAP V, Bankart, ALPSA, Perthes

## 73 year old presenting with hand pain









#### Cartilage delamination